



GAS
INSERTS

55th
ANNIVERSARY



Q1 Fireplace Insert – Painted Black Victorian Face, Brick Liner, and Classic Log Set



Q1 Fireplace Insert – Minimal Surround, Black Enameled Liner, and Classic Log Set



Q1 Fireplace Insert – Contemporary Surround w/Trimmable Panel, Ledgestone Liner, and Classic Log Set



Q1 Fireplace Insert – Modern Surround Panel, Brick Liner, and Classic Log Set

Design Features

- Clean Face Look — No Louvers
- Included Classic Log Set
- IPI Valve
- 150 CFM Room Fan (with variable control)
- Limited Lifetime Warranty
- ClearView Safety Screen

Available Options

- Remote or Thermostat Control
- Log Set - Included
- Liner Options:
 - Steel Painted Liner (Included)
 - Brick Liner
 - Black Enameled Liner
 - Ledgestone Liner
- Surround Options:
 - Victorian Face
 - Minimal Surround
 - Modern Surround
 - Contemporary Surround w/Trimmable Panel
 - Trimmable Panel

Insert Specifications

BTU Maximum Input - NG	20,000 BTU		
Turn Down	33%		
Heating Area	1,000 ft ²		
P4 Efficiency	74.5%		
Visible Dimensions H/W	21" x 19 ³ / ₈ "		
Minimum Install Dims. †	HEIGHT 27 ¹ / ₂ "	WIDTH 20 ¹ / ₄ "	DEPTH 14 ¹ / ₂ "

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Classic Log Set



Victorian Face



Brick Liner with Log Set





Design Features

- Clean Face Look — No Louvers
- Cast Iron Heat Exchanger
- Included Classic Log Set
- 110 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Nova and IPI editions

Available Options

- Hearth Riser
- Remote or Thermostat Control
- Glass or Classic Log Set - Included
- Liner Options:
 - Steel Painted Liner (Included)
 - Brick Liner
 - Fluted Liner
 - Black Enameled Liner
- Surround Options:
 - Modern Surround
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite
 - Slim Surround
 - Trimmable Panel

Insert Specifications

BTU Maximum Input - NG	23,000 BTU		
Turn Down*	Up to 50%		
Heating Area	1,200 ft ²		
P4 Efficiency	66.45%		
Visible Dimensions H/W	17¼" x 23⅜"		
Minimum Install Dims. †	HEIGHT 18¼"	WIDTH 24¼"	DEPTH 14"

* Turn down is based on a Nova valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Fluted Liner with Log Set



Black Glass with Decorative Stones



Brick Liner with Log Set



E25 Fireplace Insert – Painted Liner, Traditional Log Set



E25 Fireplace Insert – Brick Liner, Traditional Log Set



E25 Fireplace Insert – Brick Liner, Traditional Log Set

Design Features

- Clean Face Look — No Louvers
- Included Traditional Log Set
- Easy Access Burner Switch (NOVA)
- Optional 110 CFM Room Fan (with variable control)
- Steel Log Grate
- Limited Lifetime Warranty
- Nova and IPI editions

Available Options

- Optional Fan Kit
- Hearth Riser
- Burner Options:
 - Traditional Log Set - Included
- Liner Options:
 - Painted Liner - Included
 - Brick Liner
- Surround Options:
 - Formed Steel Surround - Included
 - Trimmable Panel

Insert Specifications

BTU Maximum Input - NG	28,000 BTU		
Turn Down*	Up to 50%		
Heating Area	1,600 ft ²		
P4 Efficiency	64.1%		
Visible Dimensions H/W	19½" x 27⅞"		
Minimum Install Dims. †	HEIGHT 19⅞"	WIDTH 27⅞"	DEPTH 13½"

* Turn down is based on a Nova valve.

† Depth can vary by panel.



Traditional Log Set



Optional Brick Liner



Formed Steel Surround



E30 Fireplace Insert – Powder Coated Grey Borderview Plus 4S Surround Panel, Black Enameled Liner, and Glass



E30 Fireplace Insert – Galiano Surround Panel, Black Enameled Liner, Driftwood Log Set, and Hearth Riser



E30 Fireplace Insert – Powder Coated Grey Borderview Surround Panel, Brick Liner, and Traditional Log Set

Design Features

- Clean Face Look — No Louvers
- Three Different Log Sets
- Easy Access Burner Switch*
- 150 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Nova and IPI editions

**Surround Panel Dependent*

Available Options

- Hearth Riser
- Remote or Thermostat Control
- Traditional/Birch/Driftwood Log Sets, Glass
- Liner Options:
 - Steel Painted Liner (Included)
 - Brick Liner (2 colors) (Log Burner)
 - Black Enameled Liner (Glass or Log Burner)
 - Fluted Liner (Log Burner)
 - Ledgerstone Liner (Log Burner)
 - Herringbone Liner (Log Burner)
- Surround Options:
 - Modern Surround
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite
 - Slim Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Cast Plus Surround
 - Trimmable Panel

Insert Specifications

BTU Maximum Input - NG	33,000 BTU		
Turn Down*	Up to 50%		
Heating Area	1,700 ft ²		
P4 Efficiency	71.4%		
Visible Dimensions H/W	18 ³ / ₈ " x 26 ⁷ / ₈ "		
Minimum Install Dims. †	HEIGHT 19 ⁷ / ₈ "	WIDTH 27 ⁷ / ₈ "	DEPTH 16"

** Turn down is based on a Nova valve.*

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Brick Liner with Traditional Log Set



Glass Burner with Diamond Glass



Black Enameled Liner with Driftwood Log Set



EX32 Fireplace Insert – Designer Series Surround - Powder Coated Silver, Black Enameled Liner, and Ultra HD Log Set



EX32 Fireplace Insert – Slim Surround Panel, LedgeStone Liner, and Ultra HD Log Set



EX32 Fireplace Insert – Cast Plus Surround Panel, Herringbone Liner, and Ultra HD Log Set

Design Features

- Adjustable Ember Bed Lighting
- Clean Face Look — No Louvers
- IPI System with Remote
- Ultra High Definition Log Set
- 150 CFM Room Fan (with variable control)
- Run-Quiet Fan System
- ClearView Safety Screen
- Limited Lifetime Warranty



Learn more at
enviro.com/bluiq

Available Options

- Hearth Riser
- Remote or Thermostat Control
- Liner Options:
 - Steel Liner (Included)
 - Brick Liner (2 colors)
 - Black Enameled Liner
 - Fluted Liner
 - LedgeStone Liner
 - Herringbone Liner
- Surround Options:
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite
 - Slim Surround
 - Designer Series - Powder Coated Grey
 - Cast Plus Surround
 - Complete list on pages 28-29

Insert Specifications

BTU Maximum Input - NG	32,500 BTU		
Turn Down*	33%		
Heating Area	1,700 ft ²		
P4 Efficiency	74.97%		
Visible Dimensions H/W	18 ³ / ₈ " x 26 ³ / ₈ "		
Minimum Install Dims. †	HEIGHT 19 ⁷ / ₈ "	WIDTH 27 ⁷ / ₈ "	DEPTH 16"

* Turn down is based on an IPI valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Ultra HD Log Set with Brick Liner



Designer Series Surround



Adjustable Ember Bed Lighting

NEW

The **Ri30**
FIRE-UNDER-LOG GAS INSERT



Ri30 Fireplace Insert – Contemporary Surround Panel, Brick Liner, and Birch Log Set



Ri30 Fireplace Insert – Galiano Surround, Painted Steel, and Birch Log Set



Ri30 Fireplace Insert – Contemporary Surround, Ledgestone Liner, and Traditional Log Set



Ri30 Fireplace Insert – Slim Surround, Herringbone Liner, and Traditional Log Set

NEW

The **Ri30**
FIRE-UNDER-LOG GAS INSERT

Design Features

- Adjustable Ember Bed Lighting
- Clean Face Look — No Louvers
- IPI System with Remote
- Two Available Log Sets
- 110 CFM Room Fan (with variable control)
- Run-Quiet Fan System
- ClearView Safety Screen
- Limited Lifetime Warranty

RISE BURNER
TECHNOLOGY

Available Options

- Remote or Thermostat Control
- Liner Options:
 - Steel Liner (Included)
 - Brick Liner
 - Black Enameled Liner
 - Ledgestone Liner
 - Herringbone Liner
- Surround Options:
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite
 - Slim Surround
 - Forgeworks Surround
 - 4 Sided Trimmable Surround

Insert Specifications

BTU Maximum Input - NG	32,000 BTU		
Turn Down*	33%		
Heating Area	1,700 ft ²		
P4 Efficiency	68%		
Visible Dimensions H/W	18 ³ / ₈ " x 26 ³ / ₈ "		
Minimum Install Dims. †	HEIGHT 20"	WIDTH 30"	DEPTH 15"

* Turn down is based on an IPI valve.
† Based on installation with the Contemporary Surround. Depth can vary by panel.



Traditional Log Set



Contemporary Surround Panel



RISE Fire-Under-Log Burner Technology





E33 Fireplace Insert – Forgeworks Surround Panel, Black Enamel Liner, and Birch Log Set



E33 Fireplace Insert – Contemporary Surround Panel, Brick Liner with Traditional Log Set



E33 Fireplace Insert – Powder Coated Grey Designer Series Surround Panel, LedgeStone Liner, and Traditional Log Set

Design Features

- Clean Face Look — No Louvers
- Three Different Log Sets
- Easy Access Burner Switch*
- 150 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Quick Access Valve Controls (Contemporary and Extruded Panels Only)
- Nova and IPI editions

**Surround Panel Dependent*

Available Options

- Hearth Riser
- Remote or Thermostat Control
- Traditional/Birch/Driftwood Log Sets, Glass, River Rock Set
- Liner Options:
 - Steel Liner (Included w/ Log Burner)
 - Brick Liner (2 colors) (Log Burner)
 - Black Enameled Liner (Glass or Log Burner)
 - Fluted Liner (Log Burner)
 - LedgeStone Liner (Log Burner)
 - Herringbone Liner (Log Burner)
- Surround Options:
 - Modern Surround
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite
 - Slim Surround
 - Designer Series - Powder Coated Grey
 - Cast Plus Surround
 - Complete list on pages 28-29

Insert Specifications

BTU Maximum Input - NG	34,000 BTU
Turn Down*	Up to 50%
Heating Area	1,800 ft ²
P4 Efficiency	71.1%
Visible Dimensions H/W	18¾" x 29½"
Minimum Install Dims. †	HEIGHT 20" WIDTH 32" DEPTH 17½"

** Turn down is based on a Nova valve.
† Based on installation with the Contemporary Surround. Depth can vary by panel.*



Midnight Bronze Forgeworks Surround



Traditional Log Set with Brick Liner



Galiano Surround - Brushed Graphite





EX35 Fireplace Insert – Contemporary Surround Panel, Fluted Liner, and Ultra HD Log Set



EX35 Fireplace Insert – Galiano Surround Panel, Black Enameled Liner, and Ultra HD Log Set



EX35 Fireplace Insert – Powder Coated Grey Designer Series Surround Panel, Ledgestone Liner, and Ultra HD Log Set

Design Features

- Adjustable Ember Bed Lighting
- Clean Face Look — No Louvers
- IPI System with Remote
- Ultra High Definition Log Set
- 150 CFM Room Fan (with variable control)
- Run-Quiet Fan System
- ClearView Safety Screen
- Limited Lifetime Warranty



Learn more at
enviro.com/bluiq

Available Options

- Hearth Riser
- Remote or Thermostat Control
- Liner Options:
 - Steel Liner (Included)
 - Brick Liner (2 colors)
 - Black Enameled Liner
 - Fluted Liner
 - Ledgestone Liner
 - Herringbone Liner
- Surround Options:
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite
 - Slim Surround
 - Designer Series - Powder Coated Grey
 - Cast Plus Surround
- Complete list on pages 28-29

Insert Specifications

BTU Maximum Input - NG	35,000 BTU			
Turn Down*	33%			
Heating Area	1,800 ft ²			
P4 Efficiency	74.11%			
Visible Dimensions H/W	18 ³ / ₈ " x 29 ¹ / ₂ "			
Minimum Install Dims. †	HEIGHT 20"	WIDTH 32"	DEPTH 17 ¹ / ₂ "	

* Turn down is based on an IPI valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Ultra HD Log Set with Fluted Liner



Cast Plus Surround



Adjustable Ember Bed Lighting



E44 Fireplace Insert – Modern Surround Panel, Brick Liner, and Traditional Log Set



E44 Fireplace Insert – Contemporary Surround Panel, Ledgestone Liner, and Traditional Log Set



E44 Fireplace Insert – Galiano Surround, Herringbone Liner, and Birch Log Set

Design Features

- Clean Face Look — No Louvers
- IPI System with Remote
- Two Different Log Sets
- Remote Control Included
- 150 CFM Room Fan (with variable control)
- ClearView Safety Screen
- Limited Lifetime Warranty
- Steel Liner Included

Available Options

- Hearth Riser
- Thermostat Control
- Traditional and Birch Log Sets
- Liner Options:
 - Brick | Black Enameled | Fluted | Ledgestone
 - Herringbone | Steel Liner (Included)
- Surround Options:
 - Modern Surround
 - Contemporary Surround
 - Galiano Surround - Brushed Graphite

Insert Specifications

BTU Maximum Input - NG	42,000 BTU		
Turn Down*	33%		
Heating Area	2,300 ft ²		
P4 Efficiency	58.49%		
Visible Dimensions H/W	22 ³ / ₈ " x 31 ¹ / ₂ "		
Minimum Install Dims.†	HEIGHT 24"	WIDTH 34 ¹ / ₂ "	DEPTH 20 ³ / ₈ "

* Turn down is based on an IPI valve.

† Based on installation with the Contemporary Surround. Depth can vary by panel.



Herringbone Liner



Hearth Riser



Traditional Log Set with Ledgestone Liner

Surround Panels




CONTEMPORARY

Available for the E20, E30, E33, EX32, EX35, E44, & Ri30



MODERN

Available for the E20, E30, E33, & E44



BORDERVIEW

Available for the E30 & EX32
Powder Coated Grey



DESIGNER SERIES SURROUND

Available for the E30, E33, EX32 & EX35
Powder Coated Grey



SLIM

Available for the E20, E30, E33, EX32, EX35, & Ri30



GALIANO

Available for the E20, E30, E33, EX32, EX35, E44, & Ri30
Brushed Graphite Face



FORGEWORKS

Available for the E30, E33, EX32, EX35, & Ri30
Midnight Bronze



CAST PLUS SURROUND

Available for the E30, E33, EX32, & EX35



EXTRUDED

Available for the E30 & EX32



BORDERVIEW PLUS 4S

Available for the E30 & EX32
Powder Coated Grey



CONTEMPORARY TRIMMABLE 4S

Available for the Ri30



MINIMAL SURROUND

Available for the Q1



Q1 MODERN

Available for the Q1



VICTORIAN FACE


Available for the Q1
Painted Black or Antique Bronze



**CONTEMPORARY
W/TRIMMABLE PANEL**

Available for the Q1

Design Elements




BRICK LINER

Available for Q1, E20, E25, E30, EX32, E33, EX35, E44, & Ri30
(Graphite Grey not available for the Q1, E20, E25, or E44)



HERRINGBONE LINER

Available for E30, EX32, E33, EX35, E44, & Ri30



BLACK ENAMELED STEEL LINER

Available for Q1, E20, E30, EX32, E33, EX35, E44, & Ri30



LEDGESTONE LINER

Available for Q1, E30, EX32, E33, EX35, E44, & Ri30



FLUTED LINER

Available for E20, E30, EX32, E33, EX35, & E44



GLASS BURNER WITH DIAMOND GLASS

Available for E20, E30, E33



CLASSIC LOG SET

Included with Q1 & E20



TRADITIONAL LOG SET

Available for E25, E30, E33, E44, & Ri30



DRIFTWOOD LOG SET

Available for E30 & E33



ULTRA HIGH DEFINITION LOG SET

Available for EX32, & EX35



BIRCH LOG SET

Available for E30, E33, E44, & Ri30



RIVER ROCK SET

Available for E33 Glass


Firebox Options

Firebox Liners	Q1	E20	E25	Ri30	^{NEW} E30/EX32	E33/EX35	E44
Brick Liner	✓	✓	✓	✓	✓	✓	✓
Black Enameled Liner	✓	✓		✓	✓	✓	✓
Fluted Liner		✓			✓	✓	✓
Ledgestone Liner	✓			✓	✓	✓	✓
Herringbone Liner				✓	✓	✓	✓
Steel Painted Liner	Included	Included	Included	Included	Included	Included	Included

Burner Variations	Q1	E20	E25	Ri30	^{NEW} E30/EX32	E33/EX35	E44
Log Set (Ultra HD for EX32/EX35)	Classic	Classic	Traditional	Traditional	Traditional / Ultra HD	Traditional / Ultra HD	Traditional
Driftwood Log Set					E30 Only	E33 Only	
Birch Log Set				✓	E30 Only	E33 Only	✓
Glass Burner (Black Glass)		✓			E30 Only	E33 Only	
River Rock Set						E33 Glass	


Additional Options	Q1	E20	E25	Ri30	^{NEW} E30/EX32	E33/EX35	E44
Decorative Stones (Glass Tray Burners Only)		✓					
Ember Bed Lights				✓	EX32 Standard	EX35 Standard	
Hearth Riser (N/A with 4-Sided Surround Panels)		2"H 40 ¾"W	2"H 43 ½"W	2"H 43 ½"W	2"H 43 ½"W	2"H 45 ½"W	1 ½"H 46 ⅜"W
Programmable Thermostat	✓	✓	✓	✓	✓	✓	✓
Proflame Remote Control	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Standard with IPI	Standard with IPI Optional with Nova	Standard with IPI Optional with Nova	Included

Clearance to Combustibles	Q1	E20	E25	Ri30	^{NEW} E30 / EX32	E33 / EX35	E44
A - center of unit to side wall	16½"	19½"	21"	19"	21"	24"	23½"
B - bottom of unit to bottom of 12" mantle	41"	39¾"	33"	42"	E30 36" EX32 42"	36"	40"
C - unit bottom to max. ¾" combustible facing	35¼"	37½"	12"	32"	E30 30" EX32 33"	30"	40"
D - center of unit to side facing	10"	16½"	21"	19"	21"	23"	23"
E - front of door to edge of floor protection	12"	13"	16"	9"	E30 16" EX32 9"	E33 16" EX35 9"	16"±




Specifications & Measurements

Specifications

	Q1			E20			E25			Ri30 		
	PORTRAIT GAS INSERT			SMALL GAS INSERT			SHALLOW GAS INSERT			FIRE-UNDER-LOG INSERT		
BTU Maximum input - NG / LP	20,000			23,000			28,000 / 28,000			32,000 / 32,000		
Turn Down - Nova/IPI	N/A / 33%			50% / 33%			50% / 33%			33%		
Heat Exchanger	Steel			Cast Iron			Steel			Steel		
Nova	N/A			Available			Available			N/A		
IPI	Standard			Available			Available			Standard		
Efficiency - Steady State*	76.19%			72.39%			66.7%			71.3%		
Efficiency - FE rating**	74.45%			66.45%			63.9%			68%		
Visible Dimensions H/W	21" x 19¾"			17¼" x 23½"			19½" x 27½"			18¾" x 26¾"		
Convection Fan	150 CFM			110 CFM			110 CFM			110 CFM		
Min. Install Dims. †	HEIGHT 27 ½"	WIDTH 20 ¼"	DEPTH 14 ½"	HEIGHT 18 ¼"	WIDTH 24 ¼"	DEPTH 14"	HEIGHT 19 7⁄8"	WIDTH 27 7⁄8"	DEPTH 13½"	HEIGHT 20"	WIDTH 29½"	DEPTH 15"
LP Conversion Kit (Nova/IPI)	Optional			Standard / Optional			Standard / Optional			Optional		
Venting (Direct Vent)	3" x 3"			3" x 2"			3" x 3"			3" x 3"		
Weight	110 lbs			90 lbs			100 lbs			114 lbs		
Wood ZC Fireplace Approved	Standard			Standard			Standard			Standard		
ZC Floor Removal Approved	Standard						Standard			½" Raise		

E30			EX32			E33			EX35			E44		
MEDIUM GAS INSERT			MEDIUM GAS INSERT			LARGE GAS INSERT			LARGE GAS INSERT			EXTRA LARGE GAS INSERT		
33,000 / 28,000			32,500			34,000 / 31,000			34,000			42,000		
50% / 33%			33%			50% / 33%			33%			33%		
Steel			Steel			Steel			Steel			Steel		
Available			N/A			Available			N/A			N/A		
Available			Standard			Available			Standard			Standard		
78.72%			73.48%			77.64%			76.1%			66.91%		
71.4%			74.97%			71.13%			74.11%			58.49%		
18¾" x 26¾"			18¾" x 26¾"			18¾" x 29½"			18¾" x 29½"			22¾" x 31½"		
150 CFM			150 CFM			150 CFM			150 CFM			150 CFM		
HEIGHT 19 7⁄8"	WIDTH 27 7⁄8"	DEPTH 16"	HEIGHT 19 7⁄8"	WIDTH 27 7⁄8"	DEPTH 16"	HEIGHT 20"	WIDTH 32"	DEPTH 17½"	HEIGHT 20"	WIDTH 32"	DEPTH 17½"	HEIGHT 24"	WIDTH 34 ½"	DEPTH 20 ¾"
Standard / Optional			Optional			Standard / Optional			Optional			Optional		
3" x 3"			3" x 3"			3" x 3"			3" x 3"			3" x 3"		
116 lbs			116 lbs			135 lbs			135 lbs			210 lbs		
Standard			Standard			Standard			Standard			Standard		
2¼" Raise			½" Raise			4" Raise			3½" Raise					

Surround Panels

	Q1		E20		E25		Ri30 	
	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH
Contemporary Surround			23 7⁄8" H	35 3⁄8" W			25 ¼" H	40" W
Oversize Contemporary Surround			26 7⁄8" H	37 3⁄8" W				
Galiano Surround			23 7⁄8" H	35 3⁄8" W			25 ¼" H	40" W
Extruded Surround								
Oversize Extruded Surround								
Minimal Surround (3-Sided)	26 2⁄5" H	22 4⁄5" W						
Minimal Surround (4-Sided)	24 ¼" H	27 ¼" W						
Modern Surround (N/A on the EX32 & EX35)	26 3⁄8" H	22¾" W	23 7⁄8" H	35 3⁄8" W				
Slim Surround (Formed Surround on E25)	30" H	30" W	21" H	29 ¾" W	25 ¾" H	39" W	22" H	33 ½" W
Cont. w/Trimmable Panel (4-sided on Ri30)	32" H	36" W					38" H	48" W
Victorian Face	30½" H	30" W						
w/Optional Depth Reducing Panel	34" H	36" W						
Borderview Surround – EE								
Borderview Plus 4S Surround – EE								
Forgeworks Surround – EE							26 3⁄8" H	40" W
Designer Series Surround – EE								
Cast Plus Surround – EE								
Oversize Cast Plus Surround – EE								
Trimmable Panel	32" H	36" W	28 4⁄5" H	41 4⁄5" W	30 1⁄8" H	46" W	38" H	46" W

* Steady State based on measured rating of IPI model. ** FE Rating based on measured P.4 rating of IPI model. ‡ Based on a minimum ½" raised hearth (18" flush). **EE** Elite Edition Surround Panel

E30		EX32		E33		EX35		E44	
HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH
25" H	39 ¾" W	25" H	39 ¾" W	26 ½" H	44 1⁄8" W	26 ½" H	44 1⁄8" W	30 1⁄8" H	45" W
29" H	39 7⁄8" W	25" H	39 ¾" W	29" H	44 1⁄8" W	26 ½" H	44 1⁄8" W		
25" H	39 ¾" W	25" H	39 ¾" W	26 ½" H	44 1⁄8" W	26 ½" H	44 1⁄8" W	30 1⁄8" H	45" W
25 1⁄8" H	39 ¾" W	25 1⁄8" H	39 ¾" W						
29" H	39 ¾" W	29" H	39 ¾" W						
25" H	39 ¾" W			26 ½" H	43 ½" W			30 1⁄8" H	45" W
22" H	33 ¼" W	22" H	33 ¼" W	22 ¼" H	36" W	22 ¼" H	36" W		
26 1⁄8" H	40" W	26 1⁄8" H	40" W						
31" H	40" W	31" H	40" W						
26 1⁄8" H	40" W	26 1⁄8" H	40" W	25 1⁄8" H	42" W	25 1⁄8" H	42" W		
24 ½" H	38 5⁄8" W	24 ½" H	38 5⁄8" W	25" H	41 ¾" W	25" H	41 ¾" W		
24 ¾" H	39 3⁄8" W	24 ¾" H	39 3⁄8" W	25 ¼" H	42 ¼" W	25 ¼" H	42 ¼" W		
30" H	50" W	30" H	50" W	30" H	51 ¾" W	30" H	51 ¾" W		
38" H	46" W	38" H	46" W	38" H	46" W	38" H	46" W	36" H	55" W

† Based on installation with the Contemporary Surround. Depth can vary by panel. A more detailed breakdown can be found in the owner's manual.

The best way to visualize
your dream fireplace at home
is with the Enviro App!



Manufactured by Sherwood Industries Ltd • Victoria, BC, Canada
enviro.com • info@enviro.com • Printed in Canada, September 2025



Please share and recycle this brochure