





















channel heat away from the outer glass. Alternatively, "Screened" versions trade in the Whisper Flow fans and outer class for an invisimesh safety screen. Both offer a modern aesthetic and innovative presentation to the perfect centerpiece for your home.







# **FLOATING INSTALLATION**

gives you more creative freedom with your fireplace to suit your unique vision. This suspended design is



# U30 | U50 | U70 VENTING SOLUTIONS

EveryUrbanafireplaceisdesigned withourCOOL SURFACE SYSTEM which allows air coming into the fireplace to be heated and rise up safely within the chase, protecting wall mounted valuables from unsafe temperatures. This gives you the freedom to decorate your room without the worry of heat damage over the long term. Rising heat exits the top of an open chase; however, we have additional venting options if you wish to frame the chase all the way up to the ceiling.



HIDDEN INTAKE CONSTRUCTION — URBANA EXCLUSIVE supplied from a basement or conditioned crawl space below if no visible open area is desired at the hottom of the chase





# FLOOR VENTS



Fluted Liner



Painted Steel Liner



Infinity Black Glass Liner







Signature Traditional Log Set - NEW Signature Birch Log Set - NEW























□Traditional Log Set □Ledgestone Liner



Birch Log Set
Ledgestone Liner



☐Traditional Log Set
☐Herringbone Liner - Sandston



Birch Log Set

Derringbone Liner - Dark Umbe







☐Traditional Log Set




□Birch Log Set □Rustic Brick Line



Painted Black Steel Liner



Birch Log Set



45













# Specifications

	U30   U30 S   U30 T	U50   U50 S   U50 T	U70   U70 S   U70 T	U33   U33 T	U37	U44
BTU Max. Input NG / LP	22,500 BTUs	38,000 BTUs	52,500 BTUs	40,000 BTUs	47,000 BTUs	63,000 BTUs
P4 Efficiency	65.9% 65.9% U30 T 63.6% U30 S	68.5% 68.5% U50 T 61% U50 S	59. 2% 59.2% U70 T 62.5% U70 S	TBA	36.6% 46.6%†	37.6% 47.6%†
Turn Down	Up to 33%	Up to 33%	Up to 33%	Up to 33%	Up to 33%	Up to 33%
Valve Configuration	PI	IPI	IPI	IPI	IPI	IPI
Venting	4" x 6 5/8"	5" x 8"	5"×8"	5" x 8"	5" x 8"	5" x 8" or 8" x 11"
Flex Venting	Up to 40'	Up to 40'	Up to 40'	TBA	N/A	N/A
Average Weight (Including liner and media)	255 lbs	355 lbs	500 lbs	200 lbs 300 lbs U33 T	400 lbs	489 lbs
Viewing Area	1042 in2 1,440 in2:xx1	1,390 in2 1,920 in2set	1,737 in2 2,400 in2m1	1,062½ in2 1,875 in2 U33 T	1,112 in2	1,586 in2
Glass Dimensions Safety Screeneplacesouter glass on screened units	H W D 1934" 263/8/3s1 30" 15"	н w D 19¾" 50" 15" ;	H W D 19%" 70" 15"	HEIGHT WIDTH  34° 50° usst 353/16°	HEIGHT WIDTH 305/16"	HEIGHT WIDTH 365/16" 423/16"
Unit Dimensions	неконт мюти элерти 40° 465/80°ээт 30%° 21°	47" 5034" 21"	47" 70%" 21"	неконт мюти овети не 44" 52" иззт 41" 19"	яснт width depth 44½" 46¾" 24¾"	150%" 53%" 27%"

# U30/U50/U70

# FIREBOX MEDIA

- ■Driftwood Log Set
  ■Signature Traditional Log Set
  ■Signature Birch Log Set
- River Rock Set w/Twigs
- Left/Right Corner Installation Kits
  Single Sided Installation Kit
  Notepplicablewithscreenedurits
  Top Firebox Lighting
  Mentilated Chase Design
  BD Stainless Steel Burner
- ■Optional LP Conversion Kit
- Cool Surface System

  Optional LP Conversion Kit

  Power Vent Compatible
  (Approved for Duravent CVS 5'/3')
- Dptional Bezels
  (BlackGlass,AntiqueRust)
- ■Optional Chase Comfort Kit

- Glass Media
- Bezel w/Glass or Ve
- LINER OPTIONS
- Fluted Liner
  Infinity Glass Liner Black

# U33/U37/U44

# DESIGN FEATURES

- Clean Face Design

  IPI Pilot System

  ID ptional LP Conversion Kit

  If op Firebox Lighting

  IClearView Safety Screen

  III Stainless Steel Burner
- Cool Surface System

  Power Vent Compatib
- Optional Chase Comfort Kit
- ■Optional Arched Install 1037/04
- OPTIONAL FACE
- Forgeworks Face | U37/U44 Only

# FIREBOX MEDIA

- ■Driftwood Log Set (US Birch Log Set ■Traditional Log Set
- River Rock Set w/Twigs (U37/U44 Only

## LINER OPTIONS

- Painted Steel Liner (U37/U44Included
- Ledgestone Liner/USJN144Cohy
  Ledgestone Liner/USJN144Cohy
  Fluted Liner/USJN144Cohy)
  Herringbone (Sandstone) Liner
  (USJN144Cohy)
  Serringbone (Umber) Liner
  (USJN144Cohy)
  Slack Enameled Steef Liner
  (USJN144Cohy)
- Black Glass Liner

## COMPATIBLE WITH MOST FINISHES



















# INCLUDED WITH THE U37 & U44 COOL SURFACE

# **COMFORT KIT**

Our available Comfort Kit is an installation option that allows excess rising heat to be channeled outside through an exterior wall behind the fireplace. This setup allows you and your loved ones to enjoy a beautiful flame at comfortable







# U30/U50/U70 DIMENSIONS

